

The Biochemical Journal

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1971-72

Chairman of the Committee

T. W. GOODWIN, F.R.S.

Treasurer

D. F. ELLIOTT

Meetings Secretary

H. M. KEIR

Committee Secretary

A. N. DAVISON

International Secretary

A. P. MATHIAS

Committee

J. S. D. BACON

R. B. BEECHEY

E. A. DAWES

R. M. C. DAWSON

D. T. ELMORE

R. HOFFENBERG*‡

G. D. HUNTER

V. H. T. JAMES

A. KORNER

C. F. MILLS

H. R. PERKINS†

S. V. PERRY

D. C. PHILLIPS, F.R.S.

P. J. RANDLE

D. S. ROBINSON†

T. A. SCOTT

D. G. WALKER*†

A. M. WHITE

Symposium Organizer: R. M. S. SMELLIE

* *Ex officio* Member of Committee.

† Representative of Editorial Board of the *Biochemical Journal*.

‡ Representative of Editorial Board of *Clinical Science*.

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP (01-242 1076/7/8/9).

The Biochemical Journal is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1971. The index for each volume is published separately.

Subscriptions to the Biochemical Journal. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the 1971 subscription is \$110 per year (\$22 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London WC1R 5DP.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims will be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1-19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., Berkeley Square House, Berkeley Square, London W1X 6BA, or to the Biochemical Society.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP (01-242 1076/7/8/9). Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1-89 (1906-1963) have been recorded on microfilm by Micro Methods Ltd., East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

CONTENTS

iii

	PAGE
Studies on chicken actomyosin. By J. M. JONES	61 P
An improved method for the electrophoresis of enzymes using a polyacrylamide-starch gel. By B. H. PARKIN	61 P
Factors affecting the interactions of proteins isolated from erythrocyte membranes. By A. H. MADDY and P. G. KELLY	62 P
Recombination <i>in vitro</i> of proteins and lipids from mammalian erythrocyte membranes. By R. F. A. ZWAAL and L. L. M. VAN DEENEN	62 P
Separation of lipid-protein complexes of rat brain myelin by isopycnic centrifugation. By W. L. G. GENT, N. A. GREGSON, C. A. LOVELIDGE and A. F. WINDER	63 P
Resolution of protein components in lysophosphatidylcholine-solubilized rat brain myelin. By W. L. G. GENT, N. A. GREGSON, C. A. LOVELIDGE and A. F. WINDER	64 P
Interaction of lysophosphatidylcholine with central-nervous-system myelin. By W. L. G. GENT, N. A. GREGSON, C. A. LOVELIDGE and A. F. WINDER	64 P
Amino acid sequence of the basic protein of human brain myelin. By P. R. CARNEGIE	65 P
Trypan Blue: reaction with myelin. By J. P. DICKINSON and S. G. R. APARICIO	65 P
Proteins of the plasma membrane lining the lumen of the rat bladder. By B. KETTERER and R. M. HICKS	66 P
The identification of the site of action of dicyclohexylcarbodi-imide as a proteolipid in mitochondrial membranes. By K. J. CATTELL, C. R. LINDOP, I. G. KNIGHT and R. B. BEECHEY	66 P

INDEX TO AUTHORS

	PAGE		PAGE
Ackrell, B. A. C.	46 P	Donninger, C.	51 P
Agrawal, H. C.	759	Dubois, F.	46 P
Ali, S. Y.	56 P	Eddy, A. A.	701
Alper, T.	677	Ellar, D. J.	44 P
Anderson, H. C.	56 P	Erickson, S. K.	46 P
Ansell, G. B.	741	Evans, W. C.	57 P, 58 P
Aparicio, S. G. R.	65 P	Evans, W. H.	43 P
Banik, N. L.	751	Gent, W. L. G.	49 P, 63 P, 64 P
Barker, D. C.	45 P	Giorgi, P. P.	50 P
Barker, G. R.	48 P, 49 P	Grant, E. H.	691, 765
Bassett, R. A.	58 P	Green, N. M.	37 P
Beale, D.	53 P	Gregson, N. A.	49 P, 63 P, 64 P
Beckett, A. H.	59 P	Gurd, J. W.	43 P
Beechey, R. B.	66 P	Hall, J. G.	55 P
Benedeczky, I.	46 P	Hardman, N.	48 P
Blum, E.	677	Harris, J. R.	38 P
Boorman, K. N.	55 P	Hewick, D. S.	59 P
Bretscher, M. S.	40 P	Hicks, R. M.	66 P
Burge, M. L. E.	53 P	Hinton, R. H.	53 P
Butler, W. F.	647	Hope, D. B.	671
Buttery, P. J.	55 P	Ichimura, H.	691
Carafoli, E.	681	Johnson, M. K.	51 P
Carnegie, P. R.	65 P	Jones, C. W.	46 P
Cattell, K. J.	66 P	Jones, J. M.	61 P
Cazzulo, J. J.	653, 663	Kaczmarek, L. K.	759
Chain, E. B.	58 P	Kelly, P. G.	62 P
Corbett, K.	58 P	Ketterer, B.	53 P, 66 P
Crumpton, M. J.	52 P	Kikutani, M.	633
Curtis, P. J.	41 P	Kingham, B.	60 P
Davison, A. N.	751, 759		
Dickinson, J. P.	65 P		
Dilks, S. N.	653		

	PAGE		PAGE
Knight, I. G.	66 P	Robinson, D.	641
Knight, M.	57 P, 58 P	Robson, A.	60 P
Kornberg, H. L.	653, 663	Sajdera, S. W.	56 P
Lagnado, J. R.	56 P	Siebert, G.	721
Lehninger, A. L.	681	Sjöstrand, J.	671
Lewin, S.	47 P, 48 P	Smith, A. D.	46 P
Lindop, C. R.	66 P	Sonenberg, M.	633
Livett, B. G.	671	South, G. P.	691, 765
Lovelidge, C. A.	49 P, 63 P, 64 P	Spanner, S.	741
Lyons, C.	56 P	Stocken, L. A.	713, 721
Maddy, A. H.	62 P	Stow, J. R.	48 P
Marr, A. M. S.	623	Sundaram, T. K.	653, 663
Milner-White, E. J.	727	Swislocki, N. I.	633
Neuberger, A.	623	Takashima, S.	691
Nimmo, I. A.	55 P	Tao, T.	54 P
Nobbs, B. T.	51 P	Tanner, M. J. A.	40 P
Norris, K. A.	53 P	Taylor, D. G.	641
Norström, A.	671	Thomas, T. D.	44 P
Nowacki, J. A.	701	Thorne, K. J. I.	45 P
Ord, M. G.	713, 721	Twose, T. M.	48 P, 49 P
Orpin, C. G.	57 P, 58 P	Uttenthal, L. O.	671
Owens, D.	40 P	van Deenen, L. L. M.	62 P
Parkin, B. H.	61 P	Walker, I. O.	765
Pawse, A. R.	713	Watts, D. C.	727
Perkins, H. R.	43 P	Wels, C. M.	647
Posgate, J. A.	44 P	Whelan, W. J.	609
Price, R. G.	641	Wickremasinghe, G.	56 P
Ratcliffe, W. A.	623	Wilson, K.	51 P
Riley, S. P.	60 P	Winder, A. F.	49 P, 63 P, 64 P
		Zwaal, R. F. A.	62 P

PAPERS ACCEPTED FOR PUBLICATION

- Purification and partial characterization of four proteins from human parotid saliva. By A. BENNICK and G. E. CONNELL
- A simulation study of brain compartments. Metabolism of glutamate and related substances in mouse brain. By C. J. VAN DEN BERG and D. GARFINKEL
- Changes in the proportion of two mitochondrial populations during the development of embryonic chick liver. By J. K. POLLAK and M. WOOG
- The requirement for the protonated α -amino group for the transport of peptides in *Escherichia coli*. By J. W. PAYNE
- The utilization of prolyl peptides by *Escherichia coli*. By J. W. PAYNE
- Kinetic specificity in papain-catalysed hydrolyses. By G. LOWE and Y. YUTHAVONG
- The number and location of genes for 5S ribonucleic acid within the genome of *Drosophila melanogaster*. By R. V. QUINCEY
- The molecular integrity of chloroplast ribosomal ribonucleic acid. By C. J. LEAVER and J. INGLE
- Isolation and fractionation of glycopeptides from porcine thyroglobulin. By M. FUKUDA and F. EGAMI
- The structure of a glycopeptide purified from porcine thyroglobulin. By M. FUKUDA and F. EGAMI
- Isoprenoid phenol and quinone precursors of ubiquinones and ubiquinones(H₂) in fungi. By AH LAW, D. R. THERLFALL and G. R. WHISTANCE
- Affinity chromatography of dihydrofolate reductase. By P. C. H. NEWBOLD and N. G. L. HARDING
- A role for phospholipids in the binding and metabolism of drugs by hepatic microsomes. Use of the fluorescent hydrophobic probe 1-anilino-naphthalene-8-sulphate. By T. E. ELING and R. P. DIAUGUSTINE
- Biosynthesis *in vitro* of tryptophanase by polyribosomes from induced cultures of *Escherichia coli*. By S. A. M. KHAIRUL BASHAR, J. H. PARISH and M. BROWN
- The synthesis and decay of histone fractions and deoxyribonucleic acid in the developing avian brain. By S. C. BONDY
- Ubiquinone biosynthesis in *Escherichia coli* K-12. Accumulation of an octaprenol, farnesylfarnesylgeraniol, by a multiple aromatic auxotroph. By J. A. HAMILTON and G. B. COX
- The effects of hydrogen ion concentration on the simplest steady-state enzyme systems. By P. OTTOLENGHI
- The influence of the intracellular concentration of sodium on the uptake of L-[¹⁴C]valine by chopped tissue from cerebral cortex. By C. T. JONES and P. BANKS
- Evidence for the presence of a pool of glycerides with a rapid rate of turnover in brown fat from newborn rabbits. By B. L. KNIGHT
- The hydrolysis by thermolysin of dipeptide derivatives that contain substituted cysteine. By A. P. DAMOGLU, H. LINDLEY and I. W. STAPLETON

NOTES FOR CONTRIBUTORS

It is the policy of the *Biochemical Journal* to publish papers in English in all fields of biochemistry, provided that they make a sufficient contribution to biochemical knowledge. Papers may include new results obtained experimentally, descriptions of new experimental methods of biochemical importance, or new interpretations of existing results. All work presented should have as its aim the development of biochemical concepts rather than the mere recording of facts. Theoretical contributions will be considered equally with papers dealing with experimental work. Preliminary or inconclusive experiments should not generally be described.

For detailed instructions on the preparation of papers contributors should refer to *Policy of the Journal and Instructions to Authors* [*Biochem. J.* (1971), 121, 1] (obtainable from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP, price 15p post free). In general the *Biochemical Journal* uses the recommended SI (Système Internationale) symbols [see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society)]. For biochemical nomenclature authors should as far as possible follow the Tentative Rules and Proposals of the IUPAC-IUB Commission on Biochemical Nomenclature [see *Biochem. J.* (1971), 121, 11]. For chemical nomenclature the IUPAC Rules should be followed [see *Biochem. J.* (1971), 121, 11]. The *Biochemical Journal* uses as a standard of spelling the *Concise Oxford Dictionary of Current English* (Oxford: Clarendon Press).

Two types of paper are accepted by the editors: **Full-length papers.** Papers submitted for publication should be sent together with an extra copy of the synopsis to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London WC1R 5DP. Typescripts should bear the name and address of the person to whom the proof of the paper is to be sent.

Papers submitted should be written concisely. Typescripts that are not concise or do not conform to the conventions of the *Biochemical Journal* will be returned to the authors for revision. If a paper that has been returned to an author for revision is not resubmitted within one month, it will, on resubmission, be deemed to be a new paper and the date of receipt altered accordingly. A revised paper

containing a significant amount of new material will also be redated.

Submission of a paper to the Editorial Board implies that it reports unpublished work, that it is not under consideration for publication elsewhere, and that if accepted for the *Biochemical Journal* it will not be published elsewhere in the same form, either in English or in any other language, without the consent of the Editorial Board.

Papers should be headed by a concise but informative title, by the names of the authors and by the name and address of the establishment where the work was performed. Details of financial support may appear in the acknowledgements at the end of the paper.

Before preparing papers authors should consult a current issue of the Journal to make themselves familiar with the general format, such as the use of cross-headings, lay-out of tables and citation of references. Papers should be in double-spaced typing throughout (including references and legends of tables and figures) on sheets of uniform size with wide margins. The top copy should be submitted. It cannot be overemphasized that the need for revision of badly prepared typescripts inevitably leads to delays in publication.

Papers on specialized subjects should be presented so that they are intelligible to the ordinary reader of the Journal. Sufficient information must be included to permit repetition of the experimental work.

Short Communications. Typescripts should be submitted *in duplicate*, written in English, and conform strictly to the form of the Journal as far as spelling and abbreviations are concerned. Such communications must not exceed 1200 words of text, but in addition may include either one table, typed on a separate sheet, or one figure, drawn according to the rules of the Journal. If no figure or table is included the text may be expanded to 1400 words. Communications should be addressed to the Editorial Secretary, The Biochemical Journal, 7 Warwick Court, London WC1R 5DP. Papers should be complete in themselves; (1) the methods used in experimental work must be adequately described or sufficient references given to allow repetition of the work; (2) sufficient indication of the results of experimental work must be included to justify the claims made.

*Proceedings
of the
Biochemical Society*

THE FIVE HUNDRED AND TWELFTH MEETING
held at London

*The Editorial Board of the Biochemical Journal accept no
responsibility for the Reports of the Proceedings of the
Biochemical Society*