

## REVIEW ARTICLE

Targeting proteins to mitochondria: a current overview

L. A. GLOVER & J. G. LINDSAY 609-620

## RESEARCH COMMUNICATIONS

Soluble low- $K_m$  5'-nucleotidase from electric-ray (*Torpedo marmorata*) electric organ and bovine cerebral cortex is derived from the glycosyl-phosphatidylinositol-anchored ectoenzyme by phospholipase C cleavage

M. VOGEL, H. KOWALEWSKI, H. ZIMMERMAN, N. M. HOOPER & A. J. TURNER 621-624

Stimulation of NADH oxidase activity from rat liver plasma membranes by growth factors and hormones is decreased or absent with hepatoma plasma membranes

M. BRUNO, A. O. BRIGHTMAN, J. LAWRENCE, D. WERDERITSH, D. M. MORRÉ & D. J. MORRÉ 625-628

Leukoregulin down-regulates type I collagen mRNA levels and promoter activity in human dermal fibroblasts, and counteracts the up-regulation elicited by transforming growth factor- $\beta$

A. MAUVIEL, C. H. EVANS & J. UITTO 629-632

Protein kinase-dependent effects of okadaic acid on hepatocytic autophagy and cytoskeletal integrity

I. HOLEN, P. B. GORDON & P. O. SEGLEN 633-636

Limited accumulation of cyclic AMP underlies a modest vasoactive-intestinal-peptide-mediated increase in cytosolic  $[Ca^{2+}]$  transients in GH3 pituitary cells

P. MOLLARD, Y. ZHANG, D. RODMAN & D. M. F. COOPER 637-640

Selective inhibition of  $Zn^{2+}$ -glycerophosphocholine cholinephosphodiesterase by tellurium tetrachloride

D.-E. SOK & M. R. KIM 641-643

Okadaic acid, an inhibitor of protein phosphatases 1 and 2A, inhibits induction of acute-phase proteins by interleukin-6 alone or in combination with interleukin-1 in human hepatoma cell lines

M. K. GANAPATHI 645-648

Growth hormone activates mitogen-activated protein kinase and S6 kinase and promotes intracellular tyrosine phosphorylation in 3T3-F442A preadipocytes

N. G. ANDERSON 649-652

## RESEARCH PAPERS

## Proteins

Polyclonal antibody-catalysed amide hydrolysis

G. GALLACHER, M. SEARCEY, C. S. JACKSON & K. BROCKLEHURST 675-680

Identification of a protein transiently phosphorylated by activators of endothelial cell function as the heat-shock protein HSP27. A possible role for protein kinase C

L. SANTELL, N. S. BARTFELD & E. G. LEVIN 705-710

Epitope mapping by cDNA expression of a monoclonal antibody which inhibits the binding of von Willebrand Factor to platelet glycoprotein IIb/IIIa

G. PIÉTU, A.-S. RIBBA, G. CHÉREL & D. MEYER 711-715

Purification, characterization and cDNA cloning of human lung surfactant protein D

J. LU, A. C. WILLIS & K. B. M. REID 795-802

Effects of calmodulin antagonists on antibody binding to calmodulin. Distinct conformers of calmodulin induced by the binding of drugs

F. OROSZ, K. LILIOM, N. A. BARKHUDARYAN, L. HORVÁTH & J. OVÁDI 803-808

Purification and characterization of variants of acyl-CoA-binding protein in the bovine liver

M. S. JENSEN, P. HØJRUP, J. T. RASMUSSEN & J. KNUDSEN 809-812

Epitope mapping reveals conserved regions of an auxin-binding protein

R. M. NAPIER & M. A. VENIS 841-845

Oligomeric tumour necrosis factor  $\alpha$  slowly converts into inactive forms at bioactive levels

A. CORTI, G. FASSINA, F. MARCUCCI, E. BARBANTI & G. CASSANI 905-910

Caldesmon-phospholipid interaction. Effect of protein kinase C phosphorylation and sequence similarity with other phospholipid-binding proteins

A. V. VOROTNIKOV, N. V. BOGATCHEVA & N. B. GUSEV 911-916

## Enzymes

Identification of cytosolic protein tyrosine kinases of human prostate by renaturation after SDS/PAGE

Y. DUROCHER, A. CHAPDELAIN & S. CHEVALIER 653-658

Anaerobic reactions of *Rhus vernicifera* laccase and its type-2 copper-depleted derivatives with hexacyanoferrate(II)

T. SAKURAI 681-685

Purification and characterization of the blue-green rat phaeochromocytoma (PC12) tyrosine hydroxylase with a dopamine-Fe(III) complex. Reversal of the endogenous feedback inhibition by phosphorylation of serine-40

K. K. ANDERSSON, C. VASSORT, B. A. BRENNAN, L. QUE, JR., J. HAAVIK, T. FLATMARK, F. GROS & J. THIBAUT 687-695

**CONTENTS (continued)**

Correction of human mucopolysaccharidosis type-VI fibroblasts with recombinant <i>N</i> -acetylgalactosamine-4-sulphatase	D. S. ANSON, J. A. TAYLOR, J. BIELICKI, G. S. HARPER, C. PETERS, G. J. GIBSON & J. J. HOPWOOD	789-794
Some properties of murine selenocysteine synthase	T. MIZUTANI, H. KURATA, K. YAMADA & T. TOTSUKA	827-834
Prenylated protein methyltransferases do not distinguish between farnesylated and geranylgeranylated substrates	D. PÉREZ-SALA, B. A. GILBERT, E. W. TAN & R. R. RANDO	835-840
Expression of rat liver NAD(P)H:quinone-acceptor oxidoreductase in <i>Escherichia coli</i> and mutagenesis <i>in vitro</i> at Arg-177	H.-H. CHEN, J.-X. MA, G. L. FORREST, P. S. K. DENG, P. A. MARTINO, T. D. LEE & S. CHEN	855-860
Characterization of two dipeptidases purified from hepatic schistosome egg granulomas in mice. Leukotriene D <sub>4</sub> hydrolases of granulomatous tissue	N. SATO, Y. ITO, T. IIDA, K. FUKUYAMA & W. L. EPSTEIN	885-890
<b>Gene structure and expression</b>		
The herpes simplex virus immediate-early protein ICP27 stimulates the transcription of cellular Alu repeated sequences by increasing the activity of transcription factor TFIIC	K. L. JANG & D. S. LATCHMAN	667-673
Expression of phosphoenolpyruvate carboxykinase (PEPCK) chimeras in renal epithelial cells. Retention of appropriate physiological responsiveness using enhancerless retroviral vectors	A. S. POLLOCK & D. H. LOVETT	725-732
cDNA cloning of human and rat brain <i>myo</i> -inositol monophosphatase. Expression and characterization of the human recombinant enzyme	G. MCALLISTER, P. WHITING, E. A. HAMMOND, M. R. KNOWLES, J. R. ATACK, F. J. BAILEY, R. MAIGETTER & C. I. RAGAN	749-754
Overproduction in <i>Escherichia coli</i> of the dehydroquinase domain of the <i>Aspergillus nidulans</i> pentafunctional AROM protein	J. P. T. W. VAN DEN HOMBERGH, J. D. MOORE, I. G. CHARLES & A. R. HAWKINS	861-867
Duck liver 'malic' enzyme. Expression in <i>Escherichia coli</i> and characterization of the wild-type enzyme and site-directed mutants	R. Y. HSU, M. J. GLYNAS, J. SATTERLEE, R. FEENEY, A. R. CLARKE, D. C. EMERY, B. A. ROE, R. K. WILSON, A. G. GOODRIDGE & J. J. HOLBROOK	869-876
Interaction of bleomycin with a bent DNA fragment	K. P. NIGHTINGALE & K. R. FOX	929-934
<b>Regulation of metabolism</b>		
Glycogenolytic effect of pancreastatin in isolated rat hepatocytes is mediated by a cyclic-AMP-independent Ca <sup>2+</sup> -dependent mechanism	V. SÁNCHEZ, M. LUCAS, J. R. CALVO & R. GOBERNA	659-662
Release and fixation of CO <sub>2</sub> by guinea-pig kidney tubules metabolizing aspartate	G. MARTIN, C. MICHOUDET, N. VINCENT & G. BAVEREL	697-703
Mammary development and milk secretion in transgenic mice expressing the sheep $\beta$ -lactoglobulin gene	C. J. WILDE, A. J. CLARK, M. A. KERR, C. H. KNIGHT, M. MCCLENAGHAN & J. P. SIMONS	717-720
Variations in hepatic carbon flux during unrestricted feeding	M. C. SUGDEN, R. M. HOWARD & M. J. HOLNESS	721-724
Novel linear and branched polyamines in the extremely thermophilic eubacteria <i>Thermoleophilum</i> , <i>Bacillus</i> and <i>Hydrogenobacter</i>	K. HAMANA, M. NIITSU, S. MATSUZAKI, K. SAMEJIMA, Y. IGARASHI & T. KODAMA	741-747
Effect of treatment <i>in vivo</i> of rats with bacterial endotoxin on fructose 2,6-bisphosphate metabolism and L-pyruvate kinase activity and flux in isolated liver cells	E. D. CEPPI, R. G. KNOWLES, K. M. CARPENTER & M. A. TITHERADGE	761-766
Mechanism linking glycogen concentration and glycogenolytic rate in perfused contracting rat skeletal muscle	P. HESPEL & E. A. RICHTER	777-780
Differential polypeptide expression in adipose tissue of lean and obese Zucker rats. Evidence of specifically repressed peptides in 7-day-old pre-obese rats	C. LAURENT-WINTER, I. DUGAIL, A. QUIGNARD-BOULANGE, X. LE LIEPVRE & M. LAVAU	813-817
Differences in 2-oxoglutarate dehydrogenase regulation in liver and kidney	B. C. SMITH, L. A. CLOTFELTER, J. Y. CHEUNG & K. F. LANOUE	819-826
Alterations in the mucosal processing of iron in response to very-short-term dietary iron depletion and repletion	R. W. TOPHAM, C. E. EADS & B. F. BUTLER	877-884
Direct demonstration that increased phosphorylation of 3-hydroxy-3-methylglutaryl-CoA reductase does not increase its rate of degradation in isolated rat hepatocytes	V. A. ZAMMIT & A. M. CALDWELL	901-904

## CONTENTS (continued)

### Membranes and bioenergetics

Effect of permethylation on the haemolytic activity of melittin

Cytochrome  $b_{-245}$  is a flavocytochrome containing FAD and the NADPH-binding site on the microbicidal oxidase of phagocytes

K. RAMALINGAM & J. BELLO 663-665

A. W. SEGAL, I. WEST, F. WIJNTJES, 781-788

J. H. A. NUGENT, A. J. CHAVAN,  
B. HALEY, R. C. GARCIA, H. ROSEN &  
G. SCRACE

### Receptors and signal transduction

A nucleotide receptor in vascular endothelial cells is specifically activated by the fully ionized forms of ATP and UTP

Activation of calpain I in thrombin-stimulated platelets is regulated by the initial elevation of the cytosolic  $Ca^{2+}$  concentration

K. D. LUSTIG, M. G. SPORTIELLO, L. ERB  
& G. A. WEISMAN 733-739

H. ISHII, Y. SUZUKI, M. KUBOKI, 755-760

M. MORIKAWA, M. INOUE &  
M. KAZAMA

Cloning and expression of the thyrotropin-releasing hormone receptor from GH<sub>3</sub> rat anterior pituitary cells

P. DE LA PEÑA, L. M. DELGADO, 891-899

D. DEL CAMINO & F. BARROS

G-protein-mediated activation of turkey erythrocyte phospholipase C by  $\beta$ -adrenergic and P<sub>2y</sub>-purinergic receptors

C. VAZIRI & C. P. DOWNES 917-922

Functional implications of tyrosine protein phosphorylation in platelets. Simultaneous studies with different agonists and inhibitors

C. BACHELOT, E. CANO, F. GRELAC, 923-928

S. SALEUN, B. J. DRUKER,  
S. LEVY-TOLEDANO, S. FISCHER &  
F. RENDU

### Cell biology and development

A novel mechanism for isoprenaline-stimulated proliferation of rat parotid acinar cells involving the epidermal growth factor receptor and cell surface galactosyltransferase

K. R. PURUSHOTHAM, W. A. DUNN, JR., 767-776

C. A. SCHNEYER &

M. G. HUMPHREYS-BEHER

Purification and partial identification of bone-inducing protein from a murine osteosarcoma

Y. ITO 847-854

### CORRECTIONS

Mechanism of action of purpuromycin

935

by P. Landini, E. Corti, B. P. Goldstein & M. Denaro (volume 284, pages 47-52, 1992)

The C-terminal domain of 72 kDa gelatinase A is not required for catalysis, but is essential for membrane activation and modulates interactions with tissue inhibitors of metalloproteinases

935

by G. Murphy, F. Willenbrock, R. V. Ward, M. I. Cockett, D. Eaton & A. J. P. Docherty (volume 283, p. 637, 1992)