

Review

Proteasomes: multicatalytic proteinase complexes
by A. J. Rivett

1–10

Research Communications

4-Chloro-3-hydroxyanthranilate, 6-chlorotryptophan and norharmine attenuate quinolinic acid formation by interferon- γ -stimulated monocytes (THP-1 cells)

K. Saito, C. Y. Chen, M. Masana, J. S. Crowley,
S. P. Markey and M. P. Heyes 11–14

Large changes of transition-state structure during experimental evolution of an enzyme

S. K. A. Konstantinidis, M. L. Sinnott and B. G. Hall 15–17

A new, highly sensitive method for the detection and quantification of penicillin-binding proteins

M. Galleni, B. Lakaye, S. Lepage, M. Jamin, I. Thamm,
B. Joris and J.-M. Frère 19–21

A novel post-translational modification of the peptide antibiotic subtilin: isolation and characterization of a natural variant from *Bacillus subtilis* A.T.C.C. 6633

W. C. Chan, B. W. Bycroft, M. L. Leyland, L.-Y. Lian and
G. C. K. Roberts 23–27

Research Papers**Proteins**

Deduced amino acid sequence, gene structure and chromosomal location of a novel human Class Mu glutathione S-transferase, GSTM4

S. Zhong, N. K. Spurr, J. D. Hayes and C. R. Wolf 41–50

Localization and hormonal stimulation of phosphorylation sites in the LNCaP-cell androgen receptor

G. G. J. M. Kuiper, P. E. de Ruiter, J. Trapman,
W. J. A. Boersma, J. A. Grootegoed and A. O. Brinkmann 95–101

Importance of the evolutionarily conserved glycine residue in the N-terminal region of human cystatin C (Gly-11) for cysteine endopeptidase inhibition

A. Hall, H. Dalbøge, A. Grubb and
M. Abrahamson 123–129

Escherichia coli chaperonins Cpn60 (groEL) and Cpn10 (groES) do not catalyse the refolding of mitochondrial malate dehydrogenase

A. D. Miller, K. Maghlaoui, G. Albanese, D. A. Kleinjan and
C. Smith 139–144

Metallothionein protects DNA from oxidative damage

L. S. Chubatsu and R. Meneghini 193–198

On the role of the C-terminus of α -calcitonin-gene-related peptide (α CGRP). The structure of des-phenylalaninamide³⁷- α CGRP and its interaction with the CGRP receptor

J. P. O'Connell, S. M. Kelly, D. P. Raleigh,
J. A. M. Hubbard, N. C. Price, C. M. Dobson and
B. J. Smith 205–210

Immunological and biochemical characterization of processing products from the neurotensin/neuromedin N precursor in the rat medullary thyroid carcinoma 6-23 cell line

J.-N. Bidard, F. de Nadai, C. Rovere, D. Moinier, J. Laur,
J. Martinez, J.-C. Cuber and P. Kitabgi 225–233

Purification, sequence and antibacterial activity of two novel sapecin homologues from *Sarcophaga* embryonic cells: similarity of sapecin B to charybdotoxin

K. Yamada and S. Natori 275–279

Enzymes

Studies on tissue transglutaminases: interaction of erythrocyte type-2 transglutaminase with GTP

C. M. Bergamini and M. Signorini 37–39

Lipoamidase activity in normal and mutagenized pancreatic cholesterol esterase (bile salt-stimulated lipase)

D. Y. Hui, K. Hayakawa and J. Oizumi 65–69

Hydrolysis of human and pig brain natriuretic peptides, urodilatin, C-type natriuretic peptide and some C-receptor ligands by endopeptidase-24.11

A. J. Kenny, A. Bourne and J. Ingram 83–88

Conformational changes at the active site of creatine kinase at low concentrations of guanidinium chloride

H.-M. Zhou, X.-H. Zhang, Y. Yin and C.-L. Tsou 103–107

An overview of the kinetic parameters of class B β -lactamases

A. Felici, G. Amicosante, A. Oratore, R. Strom, P. Ledent,
B. Joris, L. Fanuel and J.-M. Frère 151–155

Klebsiella pneumoniae nitrogenase MoFe protein: chymotryptic proteolysis affects function by limited cleavage of the β -chain and provides high-specific-activity MoFe protein

K. Fisher, D. J. Lowe and R. N. Pau 309–314

Carbohydrates and lipids

- A simple purification of procyclic acidic repetitive protein and demonstration of a sialylated glycosyl-phosphatidylinositol membrane anchor
M. A. J. Ferguson, P. Murray, H. Rutherford and M. J. McConville **51–55**
- Role of the C-terminal domain of pulmonary surfactant protein A in binding to alveolar type II cells and regulation of phospholipid secretion
Y. Murata, Y. Kuroki and T. Akino **71–76**
- Partial characterization of mechanism(s) by which sulphobromophthalein reduces biliary lipid secretion
G. Yamashita, S. Tazuma, K. Horikawa, N. Aihara, H. Ochi, K. Teramen, Y. Yamashita, M. Sasaki, T. Ohya and G. Kajiyama **173–177**

Gene structure and expression

- Expression of rat liver ketohexokinase in yeast results in fructose intolerance
I. A. Donaldson, T. C. Doyle and N. Matas **179–186**
- δ -Aminolaevulinate synthase expression in muscle after contractions and recovery
M. Takahashi, D. T. M. McCurdy, D. A. Essig and D. A. Hood **219–223**
- Differential effects of spermine and its analogues on the structures of polynucleotides complexed with ethidium bromide
J.-G. Delcros, M. C. J. M. Sturkenboom, H. S. Basu, R. H. Shafer, J. Szöllösi, B. G. Feuerstein and L. J. Marton **269–274**
- The expression of *Escherichia coli* threonine synthase and the production of threonine from homoserine in mouse 3T3 cells
W. D. Rees and S. M. Hay **315–322**

Regulation of metabolism

- Genetic variation of iron-induced uroporphyrin in mice
A. G. Smith and J. E. Francis **29–35**
- Changes in uncoupling protein and GLUT4 glucose transporter expressions in interscapular brown adipose tissue of diabetic rats: relative roles of hyperglycaemia and hypoinsulinaemia
R. Burcelin, J. Kande, D. Ricquier and J. Girard **109–113**
- Hepatic one-carbon metabolism in early folate deficiency in rats
M. Balaghi, D. W. Horne and C. Wagner **145–149**
- Rapid switch of hepatic fatty acid metabolism from oxidation to esterification during diurnal feeding of meal-fed rats correlates with changes in the properties of acetyl-CoA carboxylase, but not of carnitine palmitoyltransferase I
A. M. B. Moir and V. A. Zammit **241–246**
- Expression of the glucose transporter GLUT4 in the muscular dystrophic *mdx* mouse
C. Olichon-Berthe, N. Gautier, E. Van Obberghen and Y. Le Marchand-Brustel **257–261**

Membranes and bioenergetics

- The importance of the interdomain hinge in intramolecular electron transfer in flavocytochrome b_2
P. White, F. D. C. Manson, C. E. Brunt, S. K. Chapman and G. A. Reid **89–94**
- Active transport of L-proline in the protozoan parasite *Trypanosoma brucei brucei*
C. L'Hostis, M. Geindre and J. Deshusses **297–301**

Receptors and signal transduction

- A specific binding of the cholecystokinin-releasing peptide (monitor peptide) to isolated rat small-intestinal cells
R. Yamanishi, J. Koter, T. Fushiki, T. Soneda, T. Saitoh, T. Oomori, T. Satoh and E. Sugimoto **57–63**
- Monoclonal antibodies to phosphatidylinositol 4-phosphate 5-kinase: distribution and intracellular localization of the C isoform
C. E. L. Brooksbank, A. Hutchings, G. W. Butcher, R. F. Irvine and N. Divecha **77–82**
- Regulation of the receptor for platelet-activating factor on human platelets
J. A. Burgers and J.-W. N. Akkerman **157–161**
- Different modulatory effects of elevated cyclic AMP on cytosolic Ca^{2+} spikes induced by phenylephrine or vasopressin in single rat hepatocytes
A. Sanchez-Bueno, I. Marrero and P. H. Cobbold **163–168**
- Agonist-specificity in the role of Ca^{2+} -induced Ca^{2+} release in hepatocyte Ca^{2+} oscillations
A. Sanchez-Bueno and P. H. Cobbold **169–172**
- Receptor-mediated endocytosis of retinol-binding protein by liver parenchymal cells: interference by radioactive iodination
L. Malaba, G. M. Kindberg, K. R. Norum, T. Berg and R. Blomhoff **187–191**
- Intracellular Ca^{2+} stores of rat cerebellum: heterogeneity within and distinction from endoplasmic reticulum
A. Nori, A. Villa, P. Podini, D. R. Witcher and P. Volpe **199–204**

Direct stimulation by tyrosine phosphorylation of microtubule-associated protein (MAP) kinase activity by granulocyte-macrophage colony-stimulating factor in human neutrophils	J. Gomez-Cambronero, J. M. Colasanto, C.-K. Huang and R. I. Sha'afi	211–217
Reconstitution of thromboxane A ₂ receptor-stimulated phosphoinositide hydrolysis in isolated platelet membranes: involvement of phosphoinositide-specific phospholipase C- β and GTP-binding protein G _q	J. J. Baldassare, A. P. Tarver, P. A. Henderson, W. M. Mackin, B. Sahagan and G. J. Fisher	235–240
Biosynthesis, surface expression and function of the fibronectin receptor after rat liver cell transformation to tumorigenicity	M. Decastel, M.-A. Doyennette-Moyne, E. Gouet, M. Aubery and P. Codogno	247–255
Cyclic AMP enhances agonist-induced Ca ²⁺ entry into endothelial cells by activation of potassium channels and membrane hyperpolarization	W. F. Graier, W. R. Kukovetz and K. Groschner	263–267
Haemin enhancement of glucose transport in human lymphocytes: stimulation of protein tyrosine phosphatase and activation of p56 ^{lck} tyrosine kinase	H. M. Lander, D. M. Levine and A. Novogrodsky	281–287
Phosphorylation of human topoisomerase I by protein kinase C <i>in vitro</i> and in phorbol 12-myristate 13-acetate-activated HL-60 promyelocytic leukaemia cells	E. Cardellini and E. Durban	303–307
Cell biology and development		
Evidence for acidity of prelysosomal autophagic/endocytic vacuoles (amphisomes)	P. E. Strømhaug and P. O. Seglen	115–121
Investigations of the mechanism by which mammalian cell growth is inhibited by N ¹ N ¹² -bis(ethyl)spermine	L. Albanese, R. J. Bergeron and A. E. Pegg	131–137
Reconstitution <i>in vitro</i> of the pH-dependent aggregation of pancreatic zymogens <i>en route</i> to the secretory granule: implication of GP-2	F. A. Leblond, G. Viau, J. Lainé and D. Lebel	289–296
BJ Letters		
Specificity constants for two-substrate reactions	E. A. Barnsley	323
Enzyme specificity in reactions of more than one co-substrate	A. Cornish-Bowden	323–324
Specificity constants for two-substrate enzymes	P. C. Engel	324–325
Is there an alternating site co-operativity between the two subunits of lamb liver 6-phosphogluconate dehydrogenase?	S. Hanau, F. Dallochio and M. Rippa	325–326
An Avrami analysis of the effects of serum and human albumin on calcium hydroxyapatite crystal growth	W. M. Mullins and C. R. Elsass	326–328