
Review

The Na⁺/H⁺ exchanger: an update on structure, regulation and cardiac physiology

by L. Fliegel and O. Fröhlich

273–285

Biochemical Journal

Volume 296, part 2

1 December 1993

Research Communications

The human phenolsulphotransferase polymorphism is determined by the level of expression of the enzyme protein

A.L. Jones, R.C. Roberts and M.W.H. Coughtrie **287–290**

Salmonella typhimurium neuraminidase acts with inversion of configuration

X. Guo and M.L. Sinnott **291–292**

Phosphohistidine and phospholysine phosphatase activities in the rat: potential protein-lysine and protein-histidine phosphatases?

C. Wong, B. Faiola, W. Wu and P.J. Kennelly **293–296**

Wortmannin is a potent phosphatidylinositol 3-kinase inhibitor: the role of phosphatidylinositol 3,4,5-trisphosphate in neutrophil responses

A. Arcaro and M.P. Wymann **297–301**

Research Papers**Proteins**

Preparation and characterization of fragments from the N-terminal end of bovine serum albumin under native conditions

T. Saeed and A. Salahuddin **347–350**

Functional, spectroscopic and structural properties of haemoglobin from chamois (*Rupicapra rupicapra*) and steinbock (*Capra hircus ibex*)

P. Ascenzi, M.E. Clementi, S.G. Condò, M. Coletta, R. Petruzzelli, F. Polizio, M. Rizzi, C. Giunta, V. Peracino and B. Giardina **361–365**

A mutant mouse (tx) with increased hepatic metallothionein stability and accumulation

J. Koropatnick and M.G. Cherian **443–449**

Chemistry of collagen cross-links: glucose-mediated covalent cross-linking of type-IV collagen in lens capsules

A.J. Bailey, T.J. Sims, N.C. Avery and C.A. Miles **489–496**

Reconstitution of the folding pathway of collagen in a cell-free system: formation of correctly aligned and hydroxylated triple helices

R.B. Middleton and N.J. Bulleid **511–517**

Enzymes

Kinetics of enzymes with iso-mechanisms: analysis of product inhibition

K.L. Rebholz and D.B. Northrop **355–360**

Involvement of human plasma angiotensin I-converting enzyme in the degradation of the haemoregulatory peptide *N*-acetyl-seryl-aspartyl-lysyl-proline

K.-J. Rieger, N. Saez-Servent, M.-P. Papet, J. Wdzieczak-Bakala, J.-L. Morgat, J. Thierry, W. Voelter and M. Lenfant **373–378**

Structure–activity relationships in the inhibition of serine β -lactamases by phosphonic acid derivatives

J. Rahil and R.F. Pratt **389–393**

A comparison of Zn(II) and Co(II) in the kinetics of inactivation of aminoacylase by 1,10-phenanthroline and reconstitution of the apoenzyme

H.-B. Wu and C.-L. Tsou **435–441**

Characterization of the 3-dehydroquinase domain of the pentafunctional AROM protein, and the quinolate dehydrogenase from *Aspergillus nidulans*, and the overproduction of the type II 3-dehydroquinase from *Neurospora crassa*

A.R. Hawkins, J.D. Moore and A.M. Adekun **451–457**

Identification and characterization of a neutral endopeptidase activity in *Aplysia californica*

W. Bawab, R.S. Aloyz, P. Crine, B.P. Roques and L. DesGroseillers **459–465**

Specific inhibition of the activity of the urokinase receptor-mediated cell-surface plasminogen activation system by suramin

V. Ellis and K. Danø **505–510**

Carbohydrates and lipids

Structure of the glycosyl-phosphatidylinositol membrane anchor of acetylcholinesterase from the electric organ of the electric-fish, *Torpedo californica*

A. Mehlert, L. Varon, I. Silman, S.W. Homans and M.A.J. Ferguson **473–479**

Gene structure and expression

- Phosphoglucosyltransferase 1: a gene with two promoters and a duplicated first exon W. Putt, J.H. Ives, M. Hollyoake, D.A. Hopkinson, D.B. Whitehouse and Y.H. Edwards **417–422**

Regulation of metabolism

- Metabolism of endogenous nutrients in islets of Goto–Kakizaki (GK) rats A. Sener, F. Malaisse-Lagae, C.-G. Östenson and W.J. Malaisse **329–334**
- ¹³C n.m.r. isotopomer and computer-simulation studies of the non-oxidative pentose phosphate pathway of human erythrocytes H.A. Berthon, W.A. Bubb and P.W. Kuchel **379–387**
- Flux control coefficients determined by inhibitor titration: the design and analysis of experiments to minimize errors J.R. Small **423–433**

Membranes and bioenergetics

- Rat cortical synaptosomes have more than one mechanism for Ca²⁺ entry linked to rapid glutamate release: studies using the *Phonotria nigriventer* toxin PhTX2 and potassium depolarization M.A. Romano-Silva, R. Ribeiro-Santos, A.M. Ribeiro, M.V. Gomez, C.R. Diniz, M.N. Cordeiro and M.J. Brammer **313–319**
- Chloroquine inhibits glucose-transporter recruitment induced by insulin in rat adipocytes independently of its action on endomembrane pH R. Romanek, R. Sargeant, M.R. Paquet, S. Gluck, A. Klip and S. Grinstein **321–327**

Receptors and signal transduction

- Phosphorylation of the purified cardiac ryanodine receptor by exogenous and endogenous protein kinases M. Hohenegger and J. Suko **303–308**
- Thapsigargin inhibits voltage-activated calcium channels in adrenal glomerulosa cells M.F. Rossier, C.P. Python, M.M. Burnay, W. Schlegel, M.B. Vallotton and A.M. Capponi **309–312**
- Correlation between prolactin secretion and G_s protein expression during sustained cholera-toxin stimulation J.-H. Lin, H.-Y. Wang, J.C. Fong, J.-T. Pan and F.-F. Wang **335–340**
- The 50 kDa protein subunit of assembly polypeptide (AP) AP-2 adaptor from clathrin-coated vesicles is phosphorylated on threonine-156 by AP-1 and a soluble AP50 kinase which co-purifies with the assembly polypeptides A. Pauloin and C. Thuriereau **409–416**
- Activated protein kinase C binds to intracellular receptors in rat hepatocytes M. Robles-Flores and J.A. García-Sáinz **467–472**
- Activation of phosphatidylinositol 4,5-bisphosphate supply by agonists and non-hydrolysable GTP analogues L. Stephens, T.R. Jackson and P.T. Hawkins **481–488**
- Relocalization of *Drosophila* dorsal protein can be induced by a rise in cytoplasmic calcium concentration and the expression of constitutively active but not wild-type Toll receptors K. Kubota, F.J. Keith and N.J. Gay **497–503**

Cell biology and development

- Cytotoxicity of nitric oxide in Fu5 rat hepatoma cells: evidence for co-operative action with hydrogen peroxide I. Ioannidis and H. de Groot **341–345**
- Differential distribution in white and grey matter of tau phosphoisoforms containing four tubulin-binding motifs J.G. de Ancos and J. Avila **351–354**
- Activation of NADPH oxidase of human neutrophils involves the phosphorylation and the translocation of cytosolic p67phox S. Dusi and F. Rossi **367–371**
- Purification of highly intact plastids from various heterotrophic plant tissues: analysis of enzymic equipment and precursor dependency for starch biosynthesis H.E. Neuhaus, O. Batz, E. Thom and R. Scheibe **395–401**
- Correlation of apoptosis with change in intracellular labile Zn(II) using Zinquin [(2-methyl-8-*p*-toluenesulphonamido-6-quinolyloxy)acetic acid], a new specific fluorescent probe for Zn(II) P.D. Zalewski, I.J. Forbes and W.H. Betts **403–408**

BJ Letters

Homology between neurohypophyseal hormone receptors

M. Wheatley, J. Howl, A. Morel and A.R.L. Davies

519