

Review

Control of adipocyte differentiation
by C.M. Smas and H.S. Sul

697-710

Research Communications

The regulatory protein of glucokinase binds to the hepatocyte matrix, but, unlike glucokinase, does not translocate during substrate stimulation

L. Agius, M. Peak and E. Van Schaftingen

711-713

The cloning and sequence of the C isoform of PtdIns4P 5-kinase

N. Divecha, O. Truong, J.J. Hsuan, K.A. Hinchliffe and R.F. Irvine

715-719

Retinoic acid directly stimulates osteoclastic bone resorption and gene expression of cathepsin K/OC-2

S. Saneshige, H. Mano, K.-I. Tezuka, S. Kakudo, Y. Mori, Y. Honda, A. Itabashi, T. Yamada, K. Miyata, Y. Hakeda, J. Ishii and M. Kumegawa

721-724

Primaquine, an inhibitor of vesicular transport, blocks the calcium-release-activated current in rat megakaryocytes

B. Somasundaram, J.C. Norman and M.P. Mahaut-Smith

725-729

Research Papers

Proteins

Octopus S-crystallins with endogenous glutathione S-transferase (GST) activity: sequence comparison and evolutionary relationships with authentic GST enzymes

S.-H. Chiou, C.-W. Yu, C.-W. Lin, F.-M. Pan, S.-F. Lu, H.-J. Lee and G.-G. Chang

793-800

Distinct populations of high- M_r mucins secreted by different human salivary glands discriminated by density-gradient electrophoresis

J. Bolscher, E. Veerman, A. Van Nieuw Amerongen, A. Tulp and D. Verwoerd

801-806

The binding of animal low-density lipoproteins to human apolipoprotein(a)

V.N. Trieu and W.J. McConathy

899-904

The phosphorylation state of the microtubule-associated protein tau as affected by glutamate, colchicine and β -amyloid in primary rat cortical neuronal cultures

D.R. Davis, J.-P. Brion, A.-M. Couck, J.-M. Gallo, D.P. Hanger, K. Ladhani, C. Lewis, C.C.J. Miller, T. Rupniak, C. Smith and B.H. Anderton

941-949

Alignment of caldesmon on the actin-tropomyosin filaments

T.S. Tsuruda, M.H. Watson, D.B. Foster, J.J.J.-C. Lin and A.S. Mak

951-957

The chloride effect in the human embryonic haemoglobins

O. Hofmann, G. Carrucan, N. Robson and T. Brittain

959-962

Arg-27, Arg-127 and Arg-155 in the β -trefoil protein barley α -amylase/subtilisin inhibitor are interface residues in the complex with barley α -amylase 2

K.W. Rodenburg, É. Várallyay, I. Svendsen and B. Svensson

969-976

Enzymes

Characterization and partial purification of a ferrireductase from human duodenal microvillus membranes

H.-D. Riedel, A.J. Remus, B.A. Fitscher and W. Stremmel

745-748

The non-catalytic cellulose-binding domain of a novel cellulase from *Pseudomonas fluorescens* subsp. *cellulosa* is important for the efficient hydrolysis of Avicel

J. Hall, G.W. Black, L.M.A. Ferreira, S.J. Millward-Sadler, B.R.S. Ali, G.P. Hazlewood and H.J. Gilbert

749-756

Mutation in aspartic acid residues modifies catalytic and haemolytic activities of *Bacillus cereus* sphingomyelinase

H. Tamura, K. Tameishi, A. Yamada, M. Tomita, Y. Matsuo, K. Nishikawa and H. Ikezawa

757-764

Regulation of skeletal-muscle AMP deaminase: involvement of histidine residues in the pH-dependent inhibition of the rabbit enzyme by ATP

M. Ranieri-Raggi, F. Ronca, A. Sabbatini and A. Raggi

845-852

Purification and properties of the lipoate protein ligase of *Escherichia coli*

D.E. Green, T.W. Morris, J. Green, J.E. Cronan, Jr. and J.R. Guest

853-862

Oxygen free radicals enhance the nitric oxide-induced covalent NAD⁺-linkage to neuronal glyceraldehyde-3-phosphate dehydrogenase

P. Marin, M. Maus, J. Bockaert, J. Glowinski and J. Prémont

891-898

Cloning of the cDNA encoding mast cell tryptase of Mongolian gerbil, *Meriones unguiculatus*, and its preferential expression in the intestinal mucosa

Y. Murakumo, H. Ide, H. Itoh, M. Tomita, T. Kobayashi, H. Maruyama, Y. Horri and Y. Nawa

921-926

Bound plasminogen is rate-limiting for cell-surface-mediated activation of plasminogen by urokinase

S. Namiranian, Y. Naito, V.V. Kakkar and M.F. Scully

977-982

The <i>napEDABC</i> gene cluster encoding the periplasmic nitrate reductase system of <i>Thiosphaera pantotropha</i>	B.C. Berks, D.J. Richardson, A. Reilly, A.C. Willis and S.J. Ferguson	983–992
Immunochemical characterization of L-isoaspartyl-protein carboxyl methyltransferase from mammalian tissues	D. Boivin, D. Bilodeau and R. Béliveau	993–998
Carbohydrates and lipids		
Epoxidation of plasmalogens: source from long-chain α -hydroxyaldehydes in subcellular fractions of bovine liver	A. Loidl-Stahlhofen, K. Hannemann, R. Felde and G. Spiteller	807–812
The hydrophobic mannoside Man α 1-6Man α 1-S-(CH ₂) ₇ -CH ₃ acts as an acceptor for the UDP-Gal:glycosylphosphatidylinositol anchor α 1,3-galactosyltransferase of <i>Trypanosoma brucei</i>	S. Pingel, R.A. Field, M.L.S. Güther, M. Duszenko and M.A.J. Ferguson	877–882
Reduction of ubiquinone in membrane lipids by rat liver cytosol and its involvement in the cellular defence system against lipid peroxidation	T. Takahashi, T. Yamaguchi, M. Shitashige, T. Okamoto and T. Kishi	883–890
Fluorescent, short-chain C ₆ -NBD-sphingomyelin, but not C ₆ -NBD-glucosylceramide, is subject to extensive degradation in the plasma membrane: implications for signal transduction related to cell differentiation	J.W. Kok, T. Babia, K. Klappe and D. Hoekstra	905–912
Gene structure and expression		
Isolation and characterization of the androgen-dependent mouse cysteine-rich secretory protein-3 (<i>CRISP-3</i>) gene	U. Schwidetzky, B. Haendler and W.-D. Schleuning	831–836
Identification and characterization of a functional retinoic acid/thyroid hormone-response element upstream of the human insulin gene enhancer	A.R. Clark, M.E. Wilson, N.J.M. London, R.F.L. James and K. Docherty	863–870
Regulation of phosphoenolpyruvate carboxykinase gene transcription by thyroid hormone involves two distinct binding sites in the promoter	E.A. Park, D.C. Jerden and S.W. Bahouth	913–919
Expression of cell-surface proteoglycan mRNA by human articular chondrocytes	J. Grover and P.J. Roughley	963–968
The biosynthesis of threonine by mammalian cells: expression of a complete bacterial biosynthetic pathway in an animal cell	W.D. Rees and S.M. Hay	999–1007
Cloning and expression of cDNAs for the β subunit of eukaryotic initiation factor-2B, the guanine nucleotide exchange factor for eukaryotic initiation factor-2	B.L. Craddock, N.T. Price and C.G. Proud	1009–1014
Regulation of metabolism		
Dissection of stress-activated glucose transport from insulin-induced glucose transport in mammalian cells using wortmannin and ML-9	L.F. Barros, R.B. Marchant and S.A. Baldwin	731–736
Fate of soluble methionine in African trypanosomes: effects of metabolic inhibitors	C.J. Bacchi, B. Goldberg, J. Garofalo-Hannan, D. Rattendi, P. Lyte and N. Yarlett	737–743
Spermine induces haemoglobin synthesis in murine erythroleukaemia cells	J.-G. Delcros, B. Schwartz, S. Clément, H.S. Basu, L.J. Marton and B.G. Feuerstein	781–786
The structure of polyamine analogues determines haemoglobin production and cytotoxicity in murine erythroleukaemia cells	S. Clément, J.-G. Delcros, H.S. Basu, G. Quash, L.J. Marton and B.G. Feuerstein	787–791
The modulation of phosphatidylinositol biosynthesis in hamster hearts by methyl lidocaine	E. Lee, P.G. Tardi, R.Y.K. Man and P.C. Choy	871–876
Receptors and signal transduction		
Sequence variation of a novel heptahelical leucocyte receptor through alternative transcript formation	L. Barella, M. Loetscher, A. Tobler, M. Baggolini and B. Moser	773–789
Possible domains responsible for intracellular targeting and insulin-dependent translocation of glucose transporter type 4	K. Ishii, H. Hayashi, M. Todaka, S. Kamohara, F. Kanai, H. Jinnouchi, L. Wang and Y. Ebina	813–823
Association of a RING finger protein with the cytoplasmic domain of the human type-2 necrosis factor receptor	H.Y. Song and D.B. Donner	825–829
Molecular cloning of an organ G-protein-coupled receptor that constitutively activates adenylate cyclase	D. Eggerickx, J.-F. Deneff, O. Labbe, Y. Hayashi, S. Refetoff, G. Vassart, M. Parmentier and F. Libert	837–843

The design of peptide-based substrates for the cdc2 protein kinase	J. Srinivasan, M. Koszelak, M. Mendelow, Y.-G. Kwon and D.S. Lawrence	927–931
Lysophospholipids activate ovarian and breast cancer cells	Y. Xu, X.-J. Fang, G. Casey and G.B. Mills	933–940
Aggretin, a novel platelet-aggregation inducer from snake (<i>Calloselasma rhodostoma</i>) venom, activates phospholipase C by acting as a glycoprotein Ia/IIa agonist	T.-F. Huang, C.-Z. Liu and S.-H. Yang	1021–1027
Cell biology and development		
Evidence for the location of a binding sequence for the $\alpha 2\beta 1$ integrin of endothelial cells, in the $\beta 1$ subunit of laminin	P.A. Underwood, F.A. Bennett, A. Kirkpatrick, P.A. Bean and B.A. Moss	765–771
Proliferative and cytotoxic effects of mildly oxidized low-density lipoproteins on vascular smooth-muscle cells	N. Augé, M.-T. Pieraggi, J.-C. Thiers, A. Nègre-Salvayre and R. Salvayre	1015–1020
BJ Letters		
Enoyl-acyl-carrier-protein reductase and <i>Mycobacterium tuberculosis</i> InhA do not conserve the Tyr-Xaa-Xaa-Xaa-Lys motif in mammalian 11β - and 17β -hydroxysteroid dehydrogenases and <i>Drosophila</i> alcohol dehydrogenase	M.E. Baker	1029–1030
Corrections		
Use of 'soluble lipids' for biochemical processes: linoleic acid-cyclodextrin inclusion complexes in aqueous solution by J.M. López-Nicolás, R. Bru, A. Sánchez-Ferrer and F. García-Carmona (volume 308, page 151, 1995)		1031